



Mr. Steam has been in the "feel good" business since 1917.

### Feeling good is part of Mr. Steam's DNA.

It's the how and why we get up in the morning. Customers feel good knowing Mr. Steam is a leader in innovation, has the highest quality products, affordable pricing, top of class warranties, and un-matched customer service.

It's not just about producing top quality steam systems and experiences, what really gets us fired up is how...

"We feel good, when you feel good."

mr.steam®
Feel Good Inc.™

### TABLE OF CONTENTS

### MR.STEAM® RESIDENTIAL STEAMBATHS

- 2-3 Intoducing iSteam®
- 4-5 Intoducing iGenie
- 6 Residential Steambaths Specification Chart
- 7 Virtual Spa Sizing Chart
- 8 iDream Package
- 9 iButler and Butler Packages
- 10 iSpa and Spa Packages
- 11 ChromaSound Package
- 12 eTempo® Controls and Steam Genie™
- 9 Steambath Accessories à la Carte
- 10 SteamTherapy® Upgrades

  ChromaSteam™, AromaSteam™,

  & Music Therapy®
- 11 Essential Oils

## MR.STEAM® TOWEL WARMERS 12-13 BROADWAY COLLECTION

14-15 Series 200 Towel Warmers

- 16 Series 200 Accessories
- 17 Series 500-600 Towel Warmers

### STEAM@HOME SYSTEMS

### DAY SPA STEAMBATH SYSTEMS

- 18 CT Sizing & Selection
- 19 CT Generator Specification
- 20 Day Spa System & Spa Package
- 21 Day Spa Accessories

### COMMERCIAL STEAMBATH SYSTEMS

- 23 CU Sizing & Selection Chart
- 94 Steambath Generator Specification
- 25 Optional Operating Equipment
- 26 Additional Accessories

### COMPANY INFORMATION

- 27 Worldwide Installations
- 28 Top Reasons to Choose Mr Steam
- 29 Contact Info & Warranties

# With a swipe of the finger, the iSteam's intuitive touch screen navigation allows the user to seamlessly control temperature, time, aroma, chroma, audio entertainment, and overall steam system functionality. transform your shower into a sensory spa The iSteam's Auto-Fading Display incorporates a real time clock, individual user preference settings, and screen dimming technology. With an Optional Blue Tooth® Audio Streaming System, the iSteam can pair up to (8) devices and (4) in-shower speakers iSteam employs an exclusive three tier safety system with pass code protection, temperature limit and time-out features built to ISO-9001 certification Designed and Manufactured with the highest quality fused silica glass and polished cast aluminum, the iSteam has been developed with a Moisture Protection Rating of IP-67 Ingress and is capable of full water immersion of up to three feet.

# Introducing iSteam™

The iSteam's revolutionary touch screen display and featurerich menu offer a customizable, unsurpassed user experience.

Along with a stunning graphic interface and bespoke design by world renowned Industrial Designer David Farrage, the iSteam evokes effortless elegance.



iSteam with steamhead Available in black and white

\$1,200

# Introducing iGenie™

This fully automated waterproof remote control has a color indicating status ring and magnetic docking force. Preheats the steam shower from up to 100 feet away. Comes standard with interface module.








### iGenie

with Interface Module Available in black andwhite

\$550



## Residential **Steambaths**

- Single operating platform does it all from a basic installation to the most elaborate
- Easy to add plug & play spa therapy accessories
- Built with Surgical Stainless Steel
- Can be installed up to 60 feet away
- Limited Lifetime Warranty





### The Intelligent Steambath™

- Exclusive microprocessor operating system
- Precision temperature probe for optimal steamroom temperature control
- Removable and serviceable industrial strength heating elements
- Integrated time cutoff feature



For illustrative purposes only





MS SUPER 1-3E



MS SUPER 4-6E

### RESIDENTIAL STEAM GENERATORS SPECIFICATION CHART

Model No.	Total Room Volume	KW	Amps 240/1PH	Wire Size <sup>‡</sup>	Water Usage Gallons††	Shipping Wt.(lbs)**	List Price**
MS90E	up to 100	5	21	10	0.67	30	\$1550
MS150E	101-150	6	25	8	0.80	30	1950
MS225E	151-225	7.5	32	8	1.0	30	2100
MS400E	226-360	9	38	8	1.2	30	2350
MS SUPER 1E	361-475	10	42	8	1.4	40	2700
MS SUPER 2E	476-575	12	50	6	1.6	40	2900
MS SUPER 3E	576-675	15	63	4	2.0	40	3100
MS SUPER 4E	676-875	20	84	8	2.7	80	5500
MS SUPER 5E	876-1075	24	100	6	3.2	80	5900
MS SUPER 6E	1076-1275	30	125	4	4.0	80	6300

### **OPTIONAL EXPRESS STEAM™**

Suitable for all MS Models, Express Steam means you can be steaming in seconds. This option includes a built-in thermostat to keep water in the generator tank warm enough to make steam quickly while still allowing water to be safely drained to Code requirements. MS EXPRESS \$350


- ‡ Wire size (AWG) based on minimum 90°C rated THHN copper conductors. Refer to the National Electrical Code for other types of conductors.
- \*Dimensions are for generator only, without AutoFlush® or plumbing features.
- \*\*Shipping weight & pricing are for generator only, without control or steamhead. †† Water usage based on 20 minutes of operation.

All Mr. Steam MS Models are cULus Listed and CE and NOM approved. IMPORTANT: All MS Generators available in 240v/1PH, 208v/1PH and other voltages/phases. Add B1 to Model No. for the 208V/1PH. Add C1 suffix to Model No. for the 240V/1PH.

See Mr. Steam Installation and Operation Manual for complete dimensional and installation information. MS SUPER 4E includes two MS SUPER 1E steam generators, and require either iSteam or iTEMPO/Plus Control, and two matching steamheads. MS SUPER 5E includes two MS SUPER 2E steam generators, and require either iSteam or iTEMPO/Plus Control, and two matching steamheads. MS SUPER 6E includes two MS SUPER 3E steam generators, and require one iTEMPO/Plus Control, and two matching steamheads.

# Virtual**Spa**

mrsteam.com/virtualspasystem.html



## Our Virtual Spa System takes you from Bathroom to Spa in 5 Simple Steps

- 1. Enter your shower dimensions and room material for automatic gen-
- 3. Select a spa package or items al la carte.

specs will automatically be sent out with your email) - it's that simple!

### **GENERATOR SIZE MATTERS**

### Steambath Sizing & Selection Measure length, width & height in feet of the steam enclosure: Multiply the Length \_\_\_ x Width\_\_\_ x Height \_\_\_ ROOM VOLUME = Construction Materials: For natural stones: glass block or concrete Add 40% For ceramic or porcelain mortar bed Ceiling above 8 ft. Add all figures above to obtain the Total Room Volume required

TOTAL VOLUME

Compare your TOTAL ROOM VOLUME to the Specification Chart on Page 6.

IMPORTANT: Please refer





### Mr.Steam@Your Fingertips

Start working smarter and leave your pencil at home. Mr. Steam's mobile sizing app works with the iPad<sup>®</sup>, iPod<sup>®</sup> and most smart phones. http://isizing.mrsteam.com



 $\sigma$ 

0

 $\exists$ 

ത

Φ

S

 $\sigma$ 

<u>\_</u>

(1)

O

.<u>\_</u>

(1)



Innovation, luxury, and ease is the core of the flagship iDream spa package. All the components of an exquisite steam system wrapped up in the comfort and convenience of knowing all your home spa dreams are possible



Available in Black or White Finishes



0

0













iDREAM PACKAGE™

INCLUDES:

- (1) iSteam Touch Control
- (1) Matching iSteam® Steamhead
- (1) iGenie Remote
- (1) AudioWizard™
- (1) AutoFlush®
- (1) Drip Pan
- (1) AromaSteam Oil Delivery System
- (1) ChromaSteam® Mood Lighting System
- (1) AudioWizard<sup>™</sup> sound system
- (1) Pair of In-shower MusicTherapy® speakers

iDream \$5,375

Specify black or white

### **IDREAM PACKAGE 2**

For units Super 4,5, and 6

Same as above plus an additional AromaSteam™ Steamhead, AutoFlush, and Drip Pan.

iDream 2 \$6,125

Specify black or white

## **iButler**Package™

Innovation comes to the already convenient and affordable Butler Package. With the inclusion of the new iSteam® touch control and iGenie® remote the iButler package provides enhanced convenience and savngs. Available in black or white.



### **iBUTLER PACKAGE**

Includes:

- (1) iSteam Control with iSteam steamhead
- (1) iGenie Remote
- (1) AromaSteam Steamhead
- (1) AutoFlush®
- (1) Drip Pan

### **iButler \$1,975**

Specify black or white

### **iBUTLER2 PACKAGE**

Includes:

Same as iButler plus additional AromaSteam Steamhead, AutoFlush and Drip Pan

### **iButler2** \$2,575

Specify black or white

## ButlerPackage<sup>™</sup> Take the stress out of stress relief.

\$1700

1800

Everything you need to get started is in one convenient — and discounted — package.



### **BUTLER PACKAGE 1 Round**

For models MS 90E to MS SUPER 3E

Includes:

- (1) iTEMPO/Plus® Control
- (1) AromaSteam Steamhead
- (1) AutoFlush®
- (1) iGenie<sup>™</sup> (white)
- (1) Drip Pan.

### MS BUTLER 1RD

PC Polished Chrome Designer Finishes:



### Select finish below and add code.

**BUTLER PACKAGE 2 Round** For models MS SUPER 4E to MS SUPER 6E

Same as above plus an additional AromaSteam Steamhead, AutoFlush, and Drip Pan.



### MS BUTLER 2RND

PC Polished Chrome \$2300 Designer Finishes: 2450

Select finish below and add code



### **BUTLER PACKAGE 1 Square**

For models MS 90E to MS SUPER 3E Includes:

- (1) iTEMPO/Plus® Control
- (1) AromaSteam Steamhead
- (1) AutoFlush®
- (1) iGenie<sup>™</sup> (white)
- (1) Drip Pan.

### MS BUTLER 1SQ

PC Polished Chrome \$1700 Designer Finishes:



Select finish below and add code.



### **BUTLER PACKAGE 2 Square** For models MS SUPER 4E to MS SUPER 6E


Same as above plus an additional AromaSteam Steamhead, AutoFlush, and Drip Pan.



PC Polished Chrome \$2300 Designer Finishes: 2450

Select finish below and add code.

Codes for Finishes: PC Polished Chrome BN Brushed Nickel PN Polished Nickel ORB Oil-Rubbed Bronze BB Brushed Bronze PB Polished Brass RAW Custom Plating Sales & Support: East Coast 1 800 76 STEAM (800-767-8326) West Coast 1 800 72 STEAM (800-727-8326) mrsteam.com



Experience the full benefits of SteamTherapy® with AromaSteam™, ChromaSteam™ and Music Therapy® in one convenient package.

### iSpa® Package

For use with iSteam Controls

- (1) AromaSteam Oil Delivery System
- (1) ChromaSteam mood lighting system
- (1) Audio Wizard Sound System
- (1) Pair of Square In-shower Music Therapy speakers

\$3400

### Spa Package

For use with iTempo/Plus Controls

- (1) AromaSteam Oil Delivery System
- (1) ChromaSteam mood lighting system
- (1) AudioWizard Sound System with independent control
- (1) Pair In-shower Music Therapy speakers.

Round MS SPA SQ Square MS SPA RD












See page XX for more descriptionNOTES: ChromaSteam system is for mood lighting only and not a substitute for general illumination. The AromaSteam system can be controlled directly from the iSteam control keypad. When operated with an iTempo control, a separate On/Off control is supplied for in-shower operation. See page 15 for a selection of Mr.Steam AromaSteam oils.





## Convert Any Shower Into a Light and Sound Spa

- (1) ChromaSteam mood lighting system
- (1) Audio Wizard Sound System with independent control
- (1) Pair of square or round In-shower Music Therapy speakers

MS ChromaSound \$2350

See page for \_\_ for full descriptions of the ChromaSteam, AudioWizard and MusicTherapy Speakers

## Steambath Controls





+

ത

0

ത

Φ

S

ത

<u>\_\_</u>

0

O

(1)



### **iSteam**® with Steamhead

In-shower Touch Control intuitive and simple allows you to set time and temperature. Realtime clock, user preferences, screen dimming & auto-fading display technology.

IP-67 rated for water emersion for up to 3 feet.

Suitable for all E Series generators

White or Black Finish iSteam \$1200





iGenie®

Works with iSteam®, iTempo and iTempo/Plus® with interface module

White or Black Finish

iGenie \$450





### iTempo Plus®

- Flush-mounted in-shower control
- Matching AromaSteam<sup>™</sup> steam head
- Digital display, programmable time & temperature
- Stores two preferred time and temperature settings
- Integrated On/Off feature for AromaSteam™ & ChromaSteam®
- Operates with optional wireless iGenie<sup>™</sup> control
- Includes digital clock
- Suitable for all Mr.Steam Generators

Square MS ITEMPOPLUS SQ Round MS ITEMPOPLUS RD

Polished Chrome \$900 Designer Finishes \$1000 Select finish below & add code 30 foot cable included

Optional 60 foot cable PN 103990-60 \$100





### **iTempo**<sup>®</sup>

- Flush-mounted in-shower control
- Round or Square with matching AromaSteam<sup>™</sup> steam head
- Digital display, programmable time & temperature
- Operates with optional wireless iGenie<sup>™</sup> control

Square MS IT SQ Round MS IT RD

\$500 Polished Chrome \$600 Designer Finishes

Sales & Support: East Coast 1 800 76 STEAM (800-767-8326) West Coast 1 800 72 STEAM (800-727-8326)

Select finish below & add code 30 foot cable included

Optional 60 foot cable PN 103990-60 \$100

## Individual Components



### AudioWizard™ Sound System for Any Shower

- Compatible with many audio sources including iPods and smartphones equipped with Bluetooth® wireless technology. Digital music files or internet radio sent from your phone wirelessly to the Audio Wizard.
- One convenient wall-mount Stainless Steel enclosure includes the amp, power supply with simple plug & play connections to power, control and speakers.
- Simple Blue Tooth pairing with up to eight audio devices
- Output up to four speakers allows for complete bathroom and shower coverage
- Seamless connectivity to a dedicated in-shower control or the premier iSTEAM Touch for full function music control including play/pause, last track, next track, mute, fade and volume.
- UL approved for wet locations

### MS AUDIOWIZ \$1300 MS AUDIOWIZ iSteam \$1150

(for use with ISteam)

Specify White or Black Control







### Music Therapy® Speakers For use in any shower

- Designed for use inside or outside the shower enclosure
- Ceiling, flush-mount
- Square 7.0625" x 7.0625" Round: 6.5" diameter,
- Two-way marine-grade speakers, polypropylene cones
- ABS frames with white powder-coated grills
- Suitable for most sources of audio input
- Rated 60W peak power with full range sound
- 30 watts RMS and 8 ohm impedance

### MS SPEAKERS SQ \$250 MS SPEAKERS RD \$250



### ChromaSteam® System For use in any shower

- Ceiling mounted, vapor-sealed
- Energy efficient 72 LED module
- Includes a low-voltage transformer
- Color selection microprocessor
- Can be controlled from a dedicated wall switch or directly from iSteam or iTEMPO/Plus® keypad
- ETL Listed

### MS CHROMA-72 \$900

IMPORTANT: ChromaSteam System is for mood lighting only and is not a substitute for general illumination.



### **Aroma Oil System**

- Electronic oil delivery system evenly infuses scent into the steamline
- Complete with hoses, fittings and oil atomizer
- Can be controlled directly from an iSteam® or iTEMPO/Plus® control
- AromaSteam System oils available in 1-liter bottles. (see page 15)

MS AROMA \$1250

mrsteam.com

## Individual Components



### AutoFlush® Clean Steam... Every Time®

- Hands-free activation
- Introduces fresh water before each steambath and drains generator tank following use
- Proven performance, lengthens system life
- Simple plug-and-play connection
- Quiet operation
- cULus Listed

MS81500E \$400



### MS Light

- Robust, surface-mount architectural light
- Aluminum body finished in two designer finishes
- cULus Wet-locations listed with a fluorescent compact bulb
- Energy Star rated, ADA
- 8.5"diameter x 4" height

### **MS LIGHT**

Brushed Chrome BC Oil Rubbed Bronze ORB



### Wall-Mounted Seat

- Teak wood, beautifully finished and sealed
- Seat drops for use, folds for storage
- Dimensions 19.75"w x 13.25" D x 1.25" H
- Rated max 250 lbs.

### **MS WALL SEAT**

Polished Chrome PC \$550 Brushed Nickel BN Oil Rubbed Bronze BN \$550

### AromaSteam Steamhead

- Even distribution of steam while remaining cooler to the touch
- No field assembly required
- No moving parts
- Integrated aromatherapy oil well for in-shower use

### iSteam Steamhead XXXXXX

Black or White \$125



### iTempo Steamhead

**103937** (Round) or **104040** (Square) Polished Chrome \$125 ?

Designer Finishes 200? See finish codes below







### Home Wizard

- Allows easy connection to new or existing home automation system
- Comes complete with inerface module and iGenie® FOB

\$600

• Works with any E Seres generator

**HOMEWIZARD** 

Drip Pan

- <sup>3</sup>/4" drain copper fitting
- Suitable for all residential generators
- Dimensions: 25"L x 9"w x 1.5"D

MS 103867 \$120





...with two collections of essential oils that work with both AromaSteam™ steamheads and Broadway and Metro collection of Towel Warmers. Our earth-friendly, organic essential oils contain a coconut emulsifier and are a great way to experience aromatherpy..



### Chakra Blend Essential Oils

- Formulated to work in harmony with ChromaSteam® System color settings
- Made from organic plant and flower
- 10 ml. bottles with integral dropper
- Also available as a 7-pack, one of each fragrance



### Mr.Steam Essential Oils

- Pure essential oils made from natural plant extracts
- 10ml bottles with integral dropper
- Also available as a 5-pack, one of each fragrance

104006	Red Vitality	\$35
104010	Celestial Blue	35
104007	Invigorating Orang	e <b>35</b>
104011	Mystic Indigo	35
104008	Yellow Awakening	35
104012	Violet Nirvana	35
104009	Green Harmony	35
MS CHA	KRA7 7-Pack	175

Lavender

MS103810 Eucalyptus


MS103814 Breathe

M\$103812 Evergreen

MS ESSENTIAL 5 5-Pack

MS103811







### AromaSteam Oils

For use with AromaSteam™ pump

- Organic oils
- Water based
- Non-hazardous
- Earth friendly • Available in one liter bottles
- MS OIL 1 Eucalyptus MS OIL 2 Lavender MS OIL 3 Evergreen 100 MS OIL 4 Energizing Mint 100 MS OIL 5 Breathe



## METRO COLLECTION™ Towel Warmers

- Elegant, durable and made of the highest quality stainless steel
- Available in Brushed or Polished finish
- Freestanding floor models allow for design
- Standard with built in Aromatherapy Oil Well
- cULus Listed





W336

38.875"h x 20"w x 4.75"d / 133 Watts 120 Volts / Ship Weight: 14 lbs.

Stainless Steel Polished

W336 Cord SSP (factory Installed Cord) 1090

Stainless Steel Brushed

**W336 SSB** W336 Cord SSB (factory Installed Cord) 1090

Sales & Support: East Coast 1 800 76 STEAM (800-767-8326) West Coast 1 800 72 STEAM (800-727-8326)



Wall mounted towel warmers available with or without power cord



### **W328**

31.375"h x 20"w x 4.75"d 98 Watts 120 Volts Ship Weight: 10 lbs.

Stainless Steel Polished **W328 SSP** \$890 W328 Cord SSP 990 (Factory Installed Cord) Stainless Steel Brushed **W328 SSB 890** W328 Cord SSB 990 (Factory Installed Cord)



### F328

34.375"h x 20"w x 11.75"d 98 Watts 120 Volts Ship Weight: 10 lbs. Standard with Cord Includes ON/OFF power switch Stainless Steel Polished

F328 SSP Stainless Steel Brushed



### W348

F328 SSB

49.25"h x 20"w x 4.75"d 168 Watts 120 Volts Ship Weight: 18 lbs.

Stainless Steel Polished W348 SSP W348 Cord SSP 1190 (Factory Installed Cord) Stainless Steel Brushed W348 SSB W348 Cord SSB 1190 (Factory Installed Cord)



Dimensions are approximate. See Installation Manuals for exact measurements.

# BROADWAY COLLECTION™ **Towel Warmers**

- Quality, design and performance you've come to expect from a Mr.Steam product
- Prices that fit even the tightest budget
- Sleek curved lines maximize surface heating area
- Simple elegance complements any bathroom
- cULus Listed



### **W216**

20"h x 15.7"w x 4.375"d 100 Watts 120 Volts Ship Weight: 23 lbs. Polished Chrome W216C PC \$550

W216C WH

Oil-Rubbed Bronze W216C ORB 650



### **W228**

28"h x 20"w x 4.25"d 400 Watts 120 Volts Ship Weight: 26 lbs. Polished Chrome

W228C PC \$850

W228C WH Oil-Rubbed Bronze W228C ORB



36"h x 20"w x 4.25"d 400 Watts 120 Volts Ship Weight: 37 lbs. Polished Chrome W236C PC \$950

W236C WH 1050 Oil-Rubbed Bronze W236C ORB 1050



### **W248**

48"h x 20"w x 4.25"d 400 Watts 120 Volts Ship Weight: 45 lbs. Polished Chrome W248C PC \$1050 W248C WH 1150

Oil-Rubbed Bronze

W248C ORB 1150



### **W220**

20"h x 20"w x 4.25"d 200 Watts 120 Volts Ship Weight: 24 lbs. Polished Chrome W220C PC \$650 W220C WH 750 Oil-Rubbed Bronze


W220C ORB 750



### A Mr. Steam® Exclusive: **Built In Aromatherapy Oil Well**

For added luxury a small well has been integrated into the Towel Warmer to heat Mr.Steam's aromatherapy essential oils.

See page 15 for Mr.Steam's selection of AromaSteam™ essential oils.



## BROADWAY COLLECTION™Accessories



### ValetPackage® packaged for convenience & savings

Includes Robe Hook, Essential Oil and Digital Timer with Cover Plate

The Valet Package allows you to:

- Have an uplifting aromatherapy experience
- Enjoy your warmed robe

• Preprogram and preheat your towel warmer WT VALET PC Polished Chrome \$175 WT VALET WH White

WT VALET ORB Oil-Rubbed Bronze 195

Eucalyptus oil included Additional oils can be ordered, see page 15



Robe Hook Ideal for hanging and gently warming a robe.

RHOOK PC	Polished Chrome	\$40
<b>RHOOK WH</b>	White	50
<b>RHOOK ORB</b>	Oil-Rubbed Bronze	50



Single Towel Rack\* For storing or draping facial or small towel. Not heated. Extends 3" from towel warmer front.

SBRACK-CU PC	Polished Chrome	\$80
SBRACK-CU WH	White	90
SBRACK-CU ORB	Oil-Rubbed Bronze	90



Triple Towel Rack\* Perfect for storing large, folded bath towel.

Not heated. Extends 8.5" from towel warmer front.

TBRACK-CU PC	Polished Chrome	\$140
TBRACK-CU WH	White	150
TBRACK-CU ORB	Oil-Rubbed Bronze	15

<sup>\*</sup> Not for model W216

### AVAILABLE FOR ALL TOWEL WARMERS





cULus Listed

### **Digital Timer & Designer Finish Plate**

For a Warmed Towel, Ready When You Are

In-wall, 24-hour electronic timer for pre-start and automatic shut-off of the towel warmer at programmed times. White plate standard. Designer finishes plates available.

Digital Timer	103588DIG	9	100
Designer Finish Plate	103872D-PC	Polished Chrome	50
	103872D-WH	White	55
	103872D-ORB	Oil Rubbed Bronze	55
	103872D-SSP	Stainless Steel Polished	55
	103872D-SSB	Stainless Steel Brushed	55
	103872D-PN	Polished Nickel	55
	103872D-BN	Brushed Nickel	55



## **Towel Warmers**



### W500

25"h x 22.5"w x 5"d 100 Watts, 120 Volts Ship Weight: 20 lbs. Pivoting Model

PC Polished Chrome \$1100 PN Polished Nickel **BN** Brushed Nickel ORB Oil Rubbed Bronze 1450



### W542

26"h x 23.75"w x 5.25"d 150 Watts, 120 Volts Ship Weight: 25 lbs. Can be installed with wiring box on left or right side.

PC Polished Chrome \$1550 PN Polished Nickel **BN** Brushed Nickel **ORB** Oil Rubbed Bronze 1950



### H542 (Hydronic)

29.4375"h x 21" w x 5"d BTU/HR: 500 Weight: 20 lbs. PC Polished Chrome \$1050

**BN** Brushed Nickel 1400



### W634

27.5"h x 19.5"w x 7.25"d 200 Watts, 120 Volts Ship Weight: 25 lbs.

PC Polished Chrome \$2400 PN Polished Nickel **BN** Brushed Nickel 3150 **ORB** Oil Rubbed Bronze **3150** 

All Fifth Avenue Collecction towel warmers are cULus Listed. Dimensions are approximate.

## Steam@Home®

## Introducing Affordable Luxury for Small Spaces



For illustrative purposes only

- Ideal for Starter Homes and Guest Baths
- Ideal for Ceramic, Porcelain, Glass Tiles and Acrylic Enclosures
- Rugged Stainless steel generator with electronic printed circuit board. Available in 208V or 240V 1 Phase
- Uses Less than 1 Gallon of Water for a 20 Minute Session
- 23% More Compact than Standard MS Steam Generators
- Integral Safety Time-Out Feature
- Built-in Drain Valve
- Made in the USA

Steam@Home Generator Specification and Sizing Chart							
Total Room Volume	Model No.	Room Size	kW	Amps (240V/1 <sub>PH</sub> )	Wire Size	Water Usage (per 20 min. session)	Budget-Friendly List Price
60 – 75 cu. ft.	SAH3000	3' x 3'*	3.0	13	12	<sup>3</sup> /8 Gallon	\$1250
76 – 110 cu. ft.	SAH4500	3' x 4'	4.5	19	10	<sup>1</sup> /2 Gallon	\$1350
111 - 150 cu. ft.	SAH6000	3' x 5'	6.0	25	8	<sup>3</sup> /4 Gallon	\$1450

\*Acrylic/Fiberglass showers use SAH 3000 for 60-150 cu.ft. enclosures Dimensions: 14.375 L x 14.875" H x 5.1875" D ● Shipping Weight: 25lbs

**Included in Box:** SteamStart™ 20 minute In-Shower Control in Polished Chrome, 30 Foot Cable and Cooler-to-the-Touch Steamhead with Acrylic Shield






## CT DaySpaSteambath System

### **Perfect for Day Spas and Light Commercial Applications**

Mr.Steam® pioneered the CT Day Spa Series of light commercial steamroom products. Now, the Mr.Steam CT Steam Systems provide space-conscious spa facilities with high performance, low maintenance solutions. Constructed of 100% recyclable stainless steel inside and out, Mr.Steam CT Day Spa steam generators combine safety and aesthetics with reliability.

- Compactly designed for functionality and durability
- Easy installation
- Advanced digital iTempo/Plus® controls, allowing the owner/operator to control and customize each user's steam bathing experience
- CT Steam Stop™ control inside the room for the user to further control their session
- The CT System comes standard with AromaSteam steamhead, Express Steam® and the AutoFlush® system
- cULus Listed



Visit mrsteam.com to size your generator online automatically

## Mr. Steam® **CTDaySpa**System

CT Day Spa steam generators are ideal for light commercial applications such as day spas and resort spas.

### **CT DAY SPA SYSTEM COMES STANDARD WITH:**

- (1) iTEMPO/Plus<sup>™</sup> Control \*
- (1) Matching AromaSteam Steamhead \* with Acrylic Shield (not shown)
- (1) AutoFlush® System
- (1) Express Steam® factory installed (not shown)
- (1) Drip Pan
- (1) CT-Steam Stop™
- (1) MSTS In-Room Temperature Sensor (not shown)
- \* Available in Designer Finishes. See codes below

**IMPORTANT:** All Models must use iTEM-PO/Plus and STEAM STOP controlsAll Mr.Steam CT units are cULus Listed and CE and NOM approved

See Mr.Steam Installation and Operation Manual for dimensional and installation information Refer to PUR 100426.



Generator Size: 17"L x 18.5"H x 7.875"D (without AutoFlush or plumbing features)

CT Day Spa Steam Generators Specification Chart								
Model No.	Total Room Volume	KW	Amps	V/PH	Wire Size <sup>‡</sup>	Water Usage Gallons <sup>††</sup>	Shipping Wt.(lbs)**	List Price
CT6E C1	up to 150	6	25	240/1	8	0.8	60	\$3750
CT9E C1	151-360	9	38	240/1	8	1.2	60	4000
CT12E C1	361-575	12	50	240/1	6	1.6	60	4400
CT15E C1	576-675	15	63	240/1	4	2.0	60	4800

**NOTES:** All CT Generators available in 240v/1PH, 208V/1PH and other voltages/phases ‡ Wire Size (AWG) based on minimum 90° C THHN insulation for copper conductors

†† Water usage based on 20 minute steambathing session \*\*Shipping weight & pricing are for generator, control and steamhead



## Day SpaPackage

### Provide the healing elements of light, scent and sound.





With the CT Day Spa Package, you can provide the full mental, physical and emotional benefits associated with SteamTherapy®

### SPA PACKAGE INCLUDES:

For all CT Day Spa models

- (1) AudioWizard and independent
- (1) Pair of Music Therapy® Speakers
- (1) ChromaSteam<sup>™</sup> System
- (1) AromaSteam<sup>™</sup> System


### CT SPA \$3550

NOTE: ChromaSteam system is for mood lighting only and not a substitute for general illumination.

AromaSteam oil is not included and must be selected separately. Please select oils on page 21

## **CTDay SpaAccessories**

### AudioWizard





- One convenient wall-mount Stainless Steel enclosure includes the amp, power supply with simple plug & play connections to power, control and speakers.
- Equipped with Bluetooth® technology. Pairing with up to eight audio devices.
- Output up to four speakers allows for complete bathroom and shower coverage
- Seamless connectivity to a dedicated in-shower control for full function music control including play/pause, last track, next track, mute, fade and volume.
- UL approved for wet locations

AUDIOWIZARD \$1300

### AromaSteam System

- Electronic oil delivery system evenly infuses scent into steam
- Complete with hoses, fittings and oil atomizer
- Controlled directly from an iTempo/Plus® control

IMPORTANT: The AromaSteam pump operates only with the iTempo/Plus Control.

MS AROMA \$1250

### AromaSteam Oils

- 1 gallon (4 liters) container
- Specially formulated and packaged for use with AromaSteam System
- Water based Organic oils
- Non-hazardous
- Earth-friendly

CU EUCALYPTUS \$135 **CU LAVENDER** 

### ChromaSteam®

- Ceiling mounted, vapor-sealed
- Low-voltage LED module
- Energy efficient
- Color selection microprocessor
- Controlled from a dedicated wall switch or directly from an iTempo/Plus® control

IMPORTANT: ChromaSteam System is for mood lighting only and is not a substitute for general illumination. For Day Spa type installations only. Not for commercial steam rooms.

MS CHROMA \$450

### MS Light


- 8.5" diameter x 4" height
- Robust, surface mount architectural light
- Aluminum body in designer finishes
- cULus wet-locations listed with a fluorescent compact bulb
- Energy Star rated, ADA

MS LIGHT BC Brushed Chrome \$675 **ORB Oil Rubbed Bronze 575** 

### • Designed for use inside the shower enclosure • Two 8.5" diameter flush-mount, two-way

Music Therapy® Speakers





• Rated 80W peak power with full range sound, 40 watts RMS, 8 ohm impedance

CU SPEAKERS \$350

### Mr.Steam® Essential Oils

- Pure essential oils made from natural plant
- 10ml bottles with integral dropper
- Available as a 5-pack, one of each fragrance

103810	Eucalyptus	\$30.00
103811	Lavender	30.00
103812	Evergreen	30.00
103813	<b>Energizing Mint</b>	30.00
103814	Breathe	30.00
MS Esser	ntial5 5-Pack	120.00





### Chakra Blend Essential Oils

\$175.00

- Formulated to work in harmony with the color settings of the ChromaSteam® System
- Made from organic plant and flower extracts
- 10 ml. bottles with integral dropper
- Available as a 7-pack, one of each fragrance

	1 '	0
104006	Red Vitality	\$35.00
104007	Invigorating Orang	e <b>30.00</b>
104008	Yellow Awakening	30.00
104009	Green Harmony	30.00
104010	Celestial Blue	30.00
104011	Mystic Indigo	30.00
104012	Violet Nirvana	30.00





### Wall-Mounted Seat

- Teak wood, beautifully finished and sealed
- Seat drops for use, folds for storage
- Dimensions:

19.75"w x 13.25" D x 1.25" н

MS CHAKRA7 7-Pack

• Rated max. 250 lbs.



PC Polished Chrome \$500 Brushed Nickel ORB Oil Rubbed Bronze 550



Commercial Steam Generators
Stainless Steel CU Series for Hotels, Resorts, Spas & Clubs



Sales & Support: East Coast 1 800 76 STEAM (800-767-8326) West Coast 1 800 72 STEAM (800-727-8326)

Unwind and Relax



IMPORTANT: When specifying a CU Commercial Steambath Generator the following is strongly recommended for best performance and user satisfaction.

- 1. One CU steambath generator should service no more than two (2) steam rooms, each relatively similar in size and construction.
- 2. If two (2) steam rooms are serviced by one (1) CU generator, the combined resultant room volume of the two rooms should not exceed 1400 cubic feet (39.6 cubic meters).
- 3. Each room must be operated with the appropriate Digital 1 Temperature Control
- 4. In all installations, the purchaser and/or owner/operator must consult with a designer, architect, and or consultant to assure the proper specification of the steambath generator and required optional operating equipment.

### Mr.Steam makes it easy to determine which commercial system is right for your location.

Choose a CU Commercial Steam System if...

- Steamroom will be in operation more than 6 hours a day
- Steamroom is designed to accommodate 3 or more steam bathers at a time

For more detailed product information, visit mrsteam.com for the Mr.Steam Commercial Installation, Operation and Maintenance Manual PUR 100376.

# STAINLESS STEEL Commercial Steam Unit

FOR ALL MODELS

- Stainless steel jacket prolongs life of unit
- Carbon steel pressure meets ASME and National Board requirements for low-pressure operation.
- Adherence to National and Local Code, and cULus Isted for outstanding durability and safety.

### COMMERCIAL STEAM GENERATORS SPECIFICATION CHART

	<b>Total Room</b>			Ship Wt.	Ship	oing Din	n. (in)	List
Model	Volume (cu. ft.)	PH	KW	(lbs)	L	W	Н	Price
CU360*	Up to 360	3	9	200	36	26	43	\$4600
CU360*	Up to 360	1	9	200	36	26	43	4700
CU500*	361-500	3	12	200	36	26	43	5200
CU500*	361-500	1	12	200	36	26	43	5400
CU750*	501-750	3	18	200	36	26	43	5500
CU750*	501-750	1	18	200	36	26	43	5700
CU1000*	751-1000	3	24	200	36	26	43	7100
CU1000*	751-1000	1	24	200	36	26	43	7300
CU1250*	1001-1250	3	30	200	36	26	43	7700
CU1400*	1251-1400	3	36	200	36	26	43	7800
CU2000	1401-2000	3	48	300	37	31	52	9500
CU2500	2001-2500	3	60	300	36	26	43	9800
CU3000	2501-3000	3	72	320	36	26	43	9900
CU4500	3001-4500	3	108	525	47	37	74	14,700

All CU Commercial Steambath Generators are available in 208/3, 240/3 and 480/3 and other Voltage/Phase combinations. Only models CU360–CU1000 are available in 208/1 and 240/1 as priced. Specify Voltage/Phase when ordering. Models CU360–CU1400 measure 20"L x 20"W x 38"H. Models CU2000–CU3000 measure 33"L x 24"W x 44"H. Model CU4500 measures 34"L x 28"W x 59"H. Dimensions are approximate.

## **Digital 1™Control Package**

The Digital 1 Control maintains selected room temperature and features a high limit shutoff. Provides Steam-On-Demand® for consistent room temperature comfort and control.

### IMPORTANT:

\_ . . . . \_ \_ .

- If more than one room is being serviced by one (1) CU generator, the appropriate CU1-Digital1 or CU2-Digital1 Control Package must be specified for EACH room
- See Page 23 for sizing and selection guidelines for CU generators
- Note all "IMPORTANT" guidelines on page 23 when one (1) CU generator is servicing more than one (1) room

Product Number	For Generator Models	Price	
CU1-DIGITAL1	CU360 - CU1400	\$100	
Includes one Digita	al 1 Control, one (1) AromaSte	am steamhead	
with acrylic shield	and one (1) Steam Solenoid Va	lve	

CU2-DIGITAL1 CU2000 - CU4500 \$1400
Includes one Digital 1 Control, two (2) AromaSteam steamheads
with acrylic shields and two (2) Steam Solenoid Valves



CU1000 shown

Digital 1 Control



Steam Solenoid Valve

## **Optional Operating Equipment**



### Automatic Blowdown System

- Programmable 24 hour/7 day time cycle
- Boiler-grade heavy duty motorized self-cleaning
- Industrial steam-rated 100 PSIG ball valve with Teflon® Seals
- Nickel plated brass valve body with stainless steel ball and stem

  Product No. CU Generator Model Price

<ul> <li>Owner/operator schedules</li> </ul>	start-up/shut-down,
and blowdown times from	generator

CU81600-1	CU360-1400	\$1450
CU81600-2	CU2000-3000	1550
CU81600-3	CU4500	1750



### AromaFlo® Aroma Oil Delivery System

- Electronic oil delivery system evenly infuses scent into steam
- Complete with electronic metering control pump, hoses and oil atomizer
- Can be controlled directly from an iTEMPO/Plus® control
- AromaSteam System oils available in 1 gallon bottles. (see below)
- 120v/60hz. / cULus Listed

CU AROMAFLO \$1000



### AromaFlo® Aroma Oils

- 1 gallon bottle (4 liters)
- Specially formulated and packaged aroma oils for use with AromaFlo System
- Organic oils
- Water based

edone

• Non-hazardous

Earth-friendly

CUEUCALYPTUS \$135

CULAVENDER 135



### ASME Code Blowdown Tank

- Essential equipment for automatic blowdown maintenance where building Codes require maximum 140° F discharge
- Blowdown separators are built to ASME Section VIII
- Separators reduce temperature and pressure to insure a safe discharge of water and sludge
- Designed to utilize a water seal at the outlet which reduces outlet temperature to a safe discharge level
- No electrical hookup is required
- Complete with temperature gauge, pressure gauge, and gauge glass assembly
- ASME Code UM vessel

Product No.	Generator Mode	Dimensions	Shipping Wt.	Price
CU-BDT-ASME36	CU360-2000	32"H x 12" Dia.	125 lbs.	\$2500
CU-BDT-ASME42	CU25-4500	42"H x 18" Dia.	230 lbs.	3650

<sup>\*</sup>Models CU360-CU1400 include Stainless Steel jacket

## **Additional CU** Accessories



Robust, surface mounted architectural light. Aluminum body finished in brushed chrome. cULus wet-locations listed with a fluorescent compact bulb. Energy Star rated, ADA 8.5"diameter x 4" height.



### CU Speakers

Designed for use inside the shower enclosure. Complete with two 8 1/2" diameter flush-mount two-way speakers, polypropylene cones, and ABS frames with white powder-coated grills. Suitable for most sources of audio input. Rated 80W peak power with full range sound. 40 watts RMS and 8 ohms impedance. CU SPEAKER \$350



### CU AromaSteam™ Steamhead

Full 3/4" NPT, 100% solid brass, complete with polycarbonate cover. Available in polished chrome. Included with a Digital 1<sup>™</sup> Temperature Control System. Order only if additional or replacement steamhead is required.

CU 103984 PC \$140



### CU Steam Stop®

Emergency stop switch to electronically shut down the steam generator. Multiple Steam Stop switches can be used with one steam generator. Waterresistant, IP-69K rating suitable for use inside or outside the steam room.

**CU STEAMSTOP\$350** 



### Digital Timer

Digital Timer - Must use with Steam Vent PN 104072 30-minute digital timer provides guests in your steam room with accurate, easy to use timers so that they can safely time their steam sessions up to 30 minutes. Only for installation outside the steamroom. CU 99216DIG \$500



### Mechanical Timer

Mechanical Timer - Must use with Steam Vent PN 104072 30-minute mechanical timer. Only for installation outside the steamroom. cULus Listed

CU 99216B



### CU Alarm

Audible alarm sounds in the event the steam room maximum set temperature is exceeded. Suitable for use with Digital 1. Choose from multiple alarm sounds. Mounting in a standard 4x4 electrical box for installation. cULus Listed for general signaling, indoors and outdoors.

**IMPORTANT**: CU Alarm not for installation inside the steam room. **NOTE:** Pressing the CU Steam Stop will cause the alarm to sound.

### Auxiliary Manual Reset Low Water Cutoff

Many states (including GA, IA, MA, NC, TX, WA) and local jurisdictions require an independent, manual reset, second low-water cutoff control as standard. Verify code requirements in your area. CU 81017MR \$600

### Transformer 1/4 KVA

Provides control circuit voltage where 120V is **CU 99331C 240V \$450** inaccessible or costly to provide. cULus Listed CU 99331F 480V 500



## Prestigious Mr. Steam® Installations

THE BELLAGIO HOTEL Las Vegas, NV

**BREAKERS HOTEL** Palm Beach, FL

THE BROADMOOR HOTEL Colorado Springs, CO

**CANYON RANCH** Tucson, AR

EL DORADO HOTEL Santa Fe, NM

GRAND FLORIDIAN **RESORT & SPA** Orlando, FL

LA COSTA RESORT & SPA La Costa, CA

THE FOUR SEASONS **HUALALAI RESORT** Kona, HI

MANDARIN ORIENTAL HOTEL Miami, FL

MELIA CANCUN **BEACH & SPA RESORT** Cancun, Mexico

**OLYMPIC CLUB** San Francisco, CA

**ONE 57** New York, NY

**REVEL CASINO** Atlantic City

THE RITZ-CARLTON CLUB Aspen, CO

THE RITZ CARLTON Montreal, Canada

THE RITZ-CARLTON New York, NY

ST.REGIS Monarch Beach, CA

THE WYNN HOTEL Las Vegas NV

W HOTEL RESIDENCES Austin, TX

**WESTIN SIRAY BAY** & SPA Phuket, Thailand

"After trying a number of home steam therapy systems, I have found Mr.Steam products to be the best. They allow me to enjoy steam therapy regularly, just the way

Llike it."

- Andrew Weil, M.D. Author, "8 Weeks to Optimum Health"

# Mr.Steam® has been in the Fee Good business since 1917

### (How does something like that happen you ask?)

**Experience:** Mr. Steam's parent company has over 95 years designing and manufacturing steam generating equipment for industrial applications, and each one of our steam baths is the culmination of this experience.

Customer Service: At Mr. Steam, we pride ourselves with providing the best customer service, with fully staffed offices on both coasts. Customer care representatives are on hand to answer any questions Monday through Friday, 8 am to 7 pm EST.

**Reliability:** All Mr. Steam products are made of serviceable industrial grade components and some systems feature state of the art self-diagnostic tools.

Sustainability: Mr. Steam is environmentally friendly. All home products utilize recyclable stainless steel and use water and energy efficiently.

Quality Certified: All steambath generators are USA and Canadian UL listed, CE and NOM certified.

Precision Sizing: We can provide you with the perfect fit for your steam bath using isizing from your mobilphone or online sizing so that your installation is easy and efficient.

**Simple Language Warranty:** Our comprehensive warranty is written in plain English and easily available online or from a customer care representative.

**Proudly Manufacturing Products in the USA since 1917** 































We'd love to hear from you, keep you up to date on all things steam, and of course, make sure you're feeling good.

Web: Visit mrsteam.com for additional information including product specifications, sizing calculator, technical downloads and other resources.

Call Monday - Friday - 8 am to 7 pm. EST Toll-free (US): East Coast 1.800.767.Steam (767-8326) West Coast 1.800.727.Steam (727-8326) Worldwide 1.718.937.4500

Email: hello@mrsteam.com

Fax 24/7: East Coast 718.472.3256 West Coast 310.216.2944









Mr. Steam® products have one or more of the following recognized approvals:

ASME B & PV



Los Angeles





### Mr.Steam Warranties

Mr.Steam has been manufacturing quality products for over 95 years. For details about our "plain English" product warranties including Mr. Steam Residential Generators Limited Lifetime Warranty, visit mrsteam.com.

Prices quoted are FOB Long Island City, NY. Prices and specifications are subject to change without notice. Handling charges apply to equipment, accessories and parts orders.

### mr\_steam<sup>o</sup>

Sussman-Automatic Corporation® • info@mrsteam.com • mrsteam.com 43 -20 34th Street. Long Island City, NY 11101 TEL 800 76 STEAM FAX 718 472 3256 9410 S. LaCienega Blvd. Inglewood, CA 90301 TEL 800 72 STEAM FAX 310 216 2944 Steam Stop are trademarks of Sussman-Automatic Corporation.

©2013 Sussman-Automatic Corporation
MR. STEAM and des., AromaFlo, AutoFlush, Butler Package, Clean Steam...Every Time, ChromaSteam, Club
Therapy , Digital 1, eTempo, eTempo/Plus, Express Steam, iSizing, iSteam, Making Wellness a Way of Life, MusicTherapy, Spa Package, Steam Genie, Steam on Demand, Steam@Home, SteamTherapy, Sussman, Valet Package and Virtual Spa System are registered trademarks of Sussman-Automatic Corporation. AudioWizard, iButler, iGenie, iTempo, iTempo/Plus, HomeWizard, The Intelligent Steambath, Smart Sizing, SteamStart, and

# mr.steam

feel good inc.