

Central Brass

C O M P A N Y

Brecksville, Ohio 44141

Phone: (216) 883-0220 Fax: (440) 526-5745

www.CentralBrass.com

MODEL NOS.
0084-A 80084-A
BAR/LAUNDRY FAUCET

O-Ring Compression 1/4-Turn Compression Ceramic Units
0084-A **0084-A-Q** **80084-A**


The 4-inch center topmounted bar/laundry faucet has a cast brass body that is copper, nickel and chrome plated. The stems are all brass, with a double O-Ring seal and rubber seat washer (for compression stems) or ceramic sealing discs (for ceramic units). The canopy handles are zinc die cast with a chrome plated finish. The 6-inch swivel spout is brass with a chrome plated finish and is fitted with a water saving aerator that limits the flow rate. The O-Rings and seals are rubber.



Flow Rate: 2.0 GPM @ 60 psi
ADA Compliant and Meets ASME A112.18.1M
Certified by IAPMO R&T to NSF/ANSI 61



Installation Drawing



Central Brass

C O M P A N Y

Brecksville, Ohio 44141

Phone: (216) 883-0220 Fax: (440) 526-5745

www.CentralBrass.com

MODEL NOS.
0084-A 80084-A
SINK FIXTURE

Suffix Options
& Accessories

Handle variations available

ELS - Suffix
Wrist 4-inch
EL - Suffix
Elbow 6-inch



G-4147 (4-inch)
G-4149 (6-inch)



Drinking water products tested and certified by NSF International to ANSI/NSF Standard 61, Section 9. Each product required to meet the standard proudly exhibits the NSF logo.




Faucets with lever, wrist or elbow handles with compression or ceramic stem cartridges are ADA compliant.

Spout variations available


- A1 - Suffix
8-inch Brass Tube Spout
- A2 - Suffix
10-inch Brass Tube Spout
- A3 - Suffix
12-inch Brass Tube Spout
- A4 - Suffix
14-inch Brass Tube Spout

H - Suffix replaces A for hose end




- A6 - Suffix
8-inch Brass D-Spout


H - Suffix replaces A for hose end




- A8 - Suffix
7 1/4-inch High-Rise Swivel Spout




- GSA - Suffix
4 3/32 Swivel Gooseneck Spout
- GRA - Suffix
4 3/32 Rigid Gooseneck Spout




- KSA - Suffix
5 1/2 Swivel Gooseneck Spout
- KRA - Suffix
5 1/2 Rigid Gooseneck Spout



Cast Brass Spout
Extension
Accessory



Wall Mount
Spout Adaptor
Accessory



G-1748-88W

